




THE ROOFING COLLECTION PRODUCT GUIDE



NATIONAL






THERE'S A LINE BETWEEN A GOOD SHINGLE AND A GREAT SHINGLE.®

DURATION® SERIES SHINGLES

with SureNail® Technology and Triple Layer Protection®



Excellent Adhesive Power

Helps keep the shingle layers laminated.

Outstanding Grip

The SureNail® strip enhances the already amazing grip of our proprietary Tru-Bond®** sealant for exceptional wind resistance of a 130-MPH wind warranty.*




Breakthrough Design

Patented SureNail® Technology is the first and only reinforced nailing zone on the face of the shingle.

"No Guess" Wide Nailing Zone

This tough, engineered woven-fabric strip is embedded in the shingle to create an easy-to-see strong, durable fastener zone.



Triple Layer Protection®

A unique "triple layer" of reinforcement occurs when the fabric overlays the two shingle layers, providing increased protection against "nail pull" from the wind.

Double the Common Bond

SureNail® features up to a 200% wider bond between the shingle layers in the nailing zone over standard shingles.


Specialty		WOODMOOR® Shingles	4
		WOODCREST® Shingles	5
		TruDefinition® DURATION MAX® Shingles with SureNail® Technology	6
		TruDefinition® DURATION® COOL Plus Shingles with SureNail® Technology	7
		TruDefinition® DURATION® COOL Shingles with SureNail® Technology	8
		TruDefinition® DURATION FLEX® Shingles with SureNail® Technology	9
		TruDefinition® DURATION STORM® Shingles with SureNail® and WeatherGuard® Technologies	10
		DURATION® PREMIUM Shingles with SureNail® Technology	11
		TruDefinition® DURATION® DESIGNER Shingles with SureNail® Technology	12
	Architectural		TruDefinition® OAKRIDGE® Shingles
		TruDefinition® DURATION® Shingles with SureNail® Technology	14-15
		OAKRIDGE® Shingles	16
		SUPREME® Shingles	17
Traditional		TOTAL PROTECTION ROOFING SYSTEM®^A & Roofing Accessory Products	18-19
		ROOFING ACCESSORY PRODUCTS	20-21
		PRODUCT ATTRIBUTES	22-23



Chestnut¹

Woodmoor® Shingles are designed to transform your home with the extra-thick dimension and rich texture reminiscent of wood shake but with greater durability and less maintenance.

- Limited Lifetime Warranty*[±] (for as long as you own your home)
- 110/130-MPH Wind Resistance Limited Warranty*^{±±±}
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty^{3/5}



Carbon¹



Chestnut¹



Granite¹




Mesquite¹



Sycamore¹



Timber¹



Mountainside¹
Only Available in Service Area 13.




Night Sky¹
Only Available in Service Area 13.



Sand Castle¹
Only Available in Service Area 13.

Colors available in Service Areas 11, 12, 13.



COLOR DISCLAIMER

As color experts, we know getting the shingle color right is a big part of any roofing purchase. Due to printing color variations, in addition to viewing shingle literature, we suggest you request an actual shingle sample to see how it will appear on your home and with your home's exterior elements in various natural lighting conditions. Lastly, we recommend you verify your color choice by seeing it installed on an actual home; your roofing contractor or supplier can provide a sample and may be able to direct you to a local installation.



Woodcrest® Shingles are designed to enhance your home with the natural appearance and texture of wood shake but with greater durability and less maintenance.

- Limited Lifetime Warranty^{*/†} (for as long as you own your home)
- 110/130-MPH Wind Resistance Limited Warranty^{*/‡‡‡}
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty^{*/§}



Carbon¹



Chestnut¹



Granite¹



Mesquite¹



Sycamore¹



Timber¹



Mountainside¹
Only Available in Service Area 13.




Night Sky¹
Only Available in Service Area 13.



Sand Castle¹
Only Available in Service Area 13.

Colors available in Service Areas 11, 12, 13.






Mesquite¹

Duration MAX® Shingles combine the bold, thick appearance of a wood shingle with the strength and durability of our Duration® Series shingles.


- Patented SureNail® Technology featuring Triple Layer Protection®+ for added performance
- A TruDefinition® Color Platform
- Limited Lifetime Warranty*[†] (for as long as you own your home)
- 130-MPH Wind Resistance Limited Warranty*
- Rated Class 3 for Impact Resistance⁶ and may qualify for a homeowner insurance discount⁷



Carbon¹



Granite¹



Mesquite¹



Smokey Mountain¹



Sycamore¹



Forest Brown¹

Only Available in Service Area 13.




Mountainside¹

Only Available in Service Area 13.



Night Sky¹

Only Available in Service Area 13.



Sand Castle¹

Only Available in Service Area 13.



Summerwood¹

Only Available in Service Area 13.

Colors available in Service Areas 12, 13.

RATED CLASS 3

Pass UL 2218 and FM 4473 testing for Class 3 Impact Resistance.

Qualifying Owens Corning Hip & Ridge Shingles may be required to complete a UL 2218 and/or FM 4473 Class 3 Impact-Resistant Roof System. Due to the variability in real storm conditions, a Class Rating on any product does not guarantee that it will withstand damage from hailstorms or other acts of God. Owens Corning shingles are not covered under a warranty for hail damage.





Duration® COOL Plus Shingles are designed with solar-reflecting granules to meet or exceed an aged SRI of 20 – the current aged Solar Reflectance Index minimum required for the Green Building Standards Code of Los Angeles County and Los Angeles City Cool Roofs Ordinance.

- TruDefinition® Color Platform
- Patented SureNail® Technology
- Limited Lifetime Warranty*† (for as long as you own your home)
- 130-MPH Wind Resistance Limited Warranty*
- Coordinates with color-matched Owens Corning® Hip & Ridge shingles for a finished look
- Rated Class 3 for Impact Resistance⁶ and may qualify for a homeowner insurance discount⁷

20+ SRI



Cliffside Gray¹




Copper Trail¹



Golden Meadow¹



Midnight¹




Mystic Gray¹



Prairie Wood¹

20+ SRI



Rolling Stone¹

RATED CLASS 3

Pass UL 2218 and FM 4473 testing for Class 3 Impact Resistance.

Qualifying Owens Corning Hip & Ridge Shingles may be required to complete a UL 2218 and/or FM 4473 Class 3 Impact-Resistant Roof System. Due to the variability in real storm conditions, a Class Rating on any product does not guarantee that it will withstand damage from hailstorms or other acts of God. Owens Corning shingles are not covered under a warranty for hail damage.

Colors available only in Service Area 13.





Mountainside¹

Duration® COOL Shingles are designed with solar-reflecting granules to meet the California Title 24, Part 6 Cool Roof requirements.

- Limited Lifetime Warranty*
- 130-MPH Wind Resistance Limited Warranty*
- Patented SureNail® Technology
- 20+ SRI options meet Green Building Standards Code of Los Angeles County and Los Angeles City Cool Roofs Ordinance
- Rated Class 3 for Impact Resistance⁶ and may qualify for a homeowner insurance discount⁷

20+ SRI




Amber¹



Oyster Shell¹




Shasta White¹



Sierra Gray¹




Forest Brown¹



Mojave¹



Mountainside¹



Night Sky¹



Sand Castle¹



Summerwood¹

Colors available only in Service Area 13.

RATED CLASS 3

Pass UL 2218 and FM 4473 testing for Class 3 Impact Resistance.

Qualifying Owens Corning Hip & Ridge Shingles may be required to complete a UL 2218 and/or FM 4473 Class 3 Impact-Resistant Roof System. Due to the variability in real storm conditions, a Class Rating on any product does not guarantee that it will withstand damage from hailstorms or other acts of God. Owens Corning shingles are not covered under a warranty for hail damage.





Onyx Black¹

TruDefinition® Duration FLEX® shingles are made with a proprietary blend of SBS polymer modified asphalt. The rubberizing effect of the uniquely blended SBS modified asphalt makes the shingle pliable and gives them flexibility and enhanced durability and toughness, especially under intense storm conditions.

- Two of the industry's highest impact ratings: UL 2218 and FM 4473 Class 4
- Patented SureNail® Technology for exceptional wind resistance
- TruDefinition® Color Platform
- Limited Lifetime Warranty*
- 130-MPH Wind Resistance Limited Warranty*
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty^{3/5}

Vibrant, Dimensional Color Combinations



Black Sable^{1/4}

Sand Dune¹

Storm Cloud¹

Summer Harvest¹

Rich, Sophisticated Classic Hues



Brownwood¹

Driftwood¹

Estate Gray¹

Onyx Black¹

Teak¹

RATED CLASS 4

Earned some of the highest Impact Resistance ratings possible: UL 2218 and FM 4473 Class 4.

ImpactRidge® Hip & Ridge Shingles are required to complete UL 2218 and/or FM 4473 Class 4 Impact-Resistant Roof System. Due to the variability in real storm conditions, a Class Rating on any product does not guarantee that it will withstand damage from hailstorms or other acts of God. Owens Corning shingles are not covered under a warranty for hail damage.

Colors available in Service Areas 1, 4, 5, 7, 8, 9, 10, 11, 12.





Onyx Black¹

TruDefinition® Duration STORM® impact-resistant shingles feature patented WeatherGuard® Technology with integrated polymeric backing material. This allows Duration STORM® shingles to meet industry ratings for impact resistance.

- Two of the industry's highest impact ratings: UL 2218 and FM 4473 Class 4
- Patented SureNail® Technology for exceptional wind resistance
- TruDefinition® Color Platform
- Limited Lifetime Warranty*† (for as long as you own your home)
- 130-MPH Wind Resistance Limited Warranty*††
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty^{3/§}



Antique Silver¹



Brownwood¹




Desert Tan¹



Driftwood¹



Estate Gray¹



Onyx Black¹




Teak¹

RATED CLASS 4

Earned some of the highest Impact Resistance ratings possible: UL 2218 and FM 4473 Class 4.

ImpactRidge® Hip & Ridge Shingles are required to complete UL 2218 and/or FM 4473 Class 4 Impact-Resistant Roof System. Due to the variability in real storm conditions, a Class Rating on any product does not guarantee that it will withstand damage from hailstorms or other acts of God. Owens Corning shingles are not covered under a warranty for hail damage.

Colors available in Service Areas 4, 5, 7, 8, 9, 10, 11.





Teak¹

Duration® Premium Shingles feature a bold, dimensional appearance.

- Limited Lifetime Warranty^{1/†} (for as long as you own your home)
- 130-MPH Wind Resistance Limited Warranty*
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty^{3/§}
- Rated Class 3 for Impact Resistance⁶ and may qualify for a homeowner insurance discount⁷



Brownwood¹
Only Available in Service Area 12.



Driftwood¹



Estate Gray¹



Onyx Black¹



Teak¹

RATED CLASS 3

Pass UL 2218 and FM 4473 testing for Class 3 Impact Resistance.

Qualifying Owens Corning Hip & Ridge Shingles may be required to complete a UL 2218 and/or FM 4473 Class 3 Impact-Resistant Roof System. Due to the variability in real storm conditions, a Class Rating on any product does not guarantee that it will withstand damage from hailstorms or other acts of God. Owens Corning shingles are not covered under a warranty for hail damage.

Colors available in Service Areas 12, 13.



StreakGuard® Algae Resistance Technology is not available in the Compton service area.





Bourbon¹

Duration® Designer Shingles offer spectacular curb appeal with bright, bold colors and the strength and durability of our Duration® Series shingles.

- The advanced performance of patented SureNail® Technology
- A TruDefinition® Color Platform
- A Limited Lifetime Warranty*² for as long as you own your home
- The protection of a 130-MPH wind warranty*
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty^{3/5}
- Rated Class 3 for Impact Resistance⁶ and may qualify for a homeowner insurance discount⁷



Aged Copper¹



Black Sable^{1/4}



Bourbon^{1/5}



Merlot¹



Pacific Wave¹



Sand Dune¹



Sedona Canyon¹



Storm Cloud¹




Summer Harvest¹

RATED CLASS 3

Pass UL 2218 and FM 4473 testing for Class 3 Impact Resistance.

Qualifying Owens Corning Hip & Ridge Shingles may be required to complete a UL 2218 and/or FM 4473 Class 3 Impact-Resistant Roof System. Due to the variability in real storm conditions, a Class Rating on any product does not guarantee that it will withstand damage from hailstorms or other acts of God. Owens Corning shingles are not covered under a warranty for hail damage.

Colors available in all Service Areas.



StreakGuard® Algae Resistance Technology is not available in the Denver service area.





Driftwood¹

TruDefinition® Oakridge® Shingles offer the premium protection of Oakridge® Shingles with colors that are specially formulated with bold, high-contrast hues.

- Limited Lifetime Warranty^{7†} (for as long as you own your home)
- 110/130 MPH Wind Resistance Limited Warranty^{7‡‡}
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty^{3/8}



Brownwood¹



Desert Tan¹




Driftwood¹



Estate Gray¹



Onyx Black¹



Peppercorn¹

Only Available in Service Areas 2, 6.



Teak¹
Only Available in Service Areas 8, 10.



Twilight Black¹
Only Available in Service Areas 2, 6.



Williamsburg Gray¹

Color availability varies by Service Area.





Williamsburg Gray¹

Duration® Shingles come with the advanced performance of our patented SureNail® Technology.

- The high-performance of SureNail® Technology
- A TruDefinition® Color Platform
- A Limited Lifetime Warranty^{7/†} for as long as you own your home
- The protection of a 130-MPH wind warranty*
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty^{3/§}
- Rated Class 3 for Impact Resistance⁶ and may qualify for a homeowner insurance discount⁷



Amber¹
 Only Available in Service Areas 3, 10.



Antique Silver¹
 Only available in Service Area 3.



Brownwood¹



Chateau Green¹



Colonial Slate¹
 Only Available in Service Areas 1, 4, 5, 7, 8, 9, 10.



Desert Rose¹
 Only Available in Service Areas 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12.



Desert Tan¹
 Only Available in Service Area 13.




Driftwood¹



Estate Gray¹



Harbor Blue¹
 Only Available in Service Areas 1, 2, 3, 6, 8, 10, 13.



Midnight Plum^{1/5}



Onyx Black¹



Peppercorn¹
 Only Available in Service Areas
 1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12.



Quarry Gray¹
 Only Available in Service Areas
 2, 3, 6.



Sand Castle¹
 Only available in 1, 4, 5, 7, 9, 11.



Shasta White¹
 Only Available in Service Area 10.



Sierra Gray¹
 Only Available in Service Areas
 1, 4, 5, 7, 8, 9, 10, 11, 12.



Slatestone Gray¹
 Only Available in Service Areas
 1, 2, 4, 5, 6, 7, 9, 11, 12.



Teak¹



Terra Cotta¹
 Only Available in Service Areas
 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 13.




Williamsburg Gray¹

RATED CLASS 3

Pass UL 2218 and FM 4473 testing for Class 3 Impact Resistance.

Qualifying Owens Corning Hip & Ridge Shingles may be required to complete a UL 2218 and/or FM 4473 Class 3 Impact-Resistant Roof System. Due to the variability in real storm conditions, a Class Rating on any product does not guarantee that it will withstand damage from hailstorms or other acts of God. Owens Corning shingles are not covered under a warranty for hail damage.

StreakGuard® Algae Resistance Technology is not available in the Compton and Denver service areas.





Driftwood¹

Oakridge® Shingles provide premium protection as a step up from traditional three-tab shingles.

- Limited Lifetime Warranty*^{†‡} (for as long as you own your home)
- 110/130 MPH Wind Resistance Limited Warranty*^{†‡}
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty^{3/8}

Colors available in all Service Areas except where noted below.



StreakGuard® Algae Resistance Technology is not available in the Compton and Denver service areas.



Antique Silver¹
Only Available in Service Area 3.



Beachwood Sand¹
Only Available in Service Area 3.



Black Walnut¹
Only Available in Service Areas 11, 12.



Brownwood¹



Desert Tan¹



Driftwood¹



Estate Gray¹




Onyx Black¹



Teak¹
Available in All Service Areas Except 3.



Twilight Black¹
Only Available in Service Area 12.



Williamsburg Gray¹
Only Available in Service Areas 2, 6.



Amber¹
Only Available in Service Area 13.



Cliffside Gray¹
Only Available in Service Area 13.




Golden Meadow¹
Only Available in Service Area 13.



Sand Castle¹
Only Available in Service Area 13.



Shasta White¹
Only Available in Service Area 13.



Sierra Gray¹
Only Available in Service Areas 12, 13.



Desert Tan¹

Supreme® three-tab shingles are a basic, smart choice when you want to balance seasons and value.

- Limited Lifetime Warranty^{7/†} (for as long as you own your home)
- 60 MPH Wind Resistance Limited Warranty*
- StreakGuard® Protection with a 10-year Algae Resistance Limited Warranty^{7/3}



Autumn Brown¹
Only Available in Service Areas 2, 3, 6, 10.



Brownwood¹
Only Available in Service Areas 8, 10.



Desert Tan¹



Driftwood¹



Estate Gray¹



Onyx Black¹



Shasta White¹
Only Available in Service Area 10.



Teak¹
Only Available in Service Area 10.

Colors available in all Service Areas except where noted above.





TOTAL PROTECTION SIMPLIFIED[®]

It takes more than just shingles to protect a home. It takes an integrated system of components and layers designed to perform in three critical areas. The Owens Corning[®] Total Protection Roofing System[®] gives you the assurance that all of your Owens Corning[®] roofing components are working together to help increase the performance of your roof.

SEAL.


Helps create a waterproof barrier

DEFEND.

Helps protect against nature's elements

BREATHE.

For balanced attic ventilation



[®] For intake ventilation, use approved Owens Corning[®] Vent Sure[®] InFlow ventilation or soffit ventilation. Do not use both intake ventilation options in one roofing application. See install instructions for more details.

TOTAL PROTECTION. TOTAL CONFIDENCE.®

SEAL.

Self-Adhered Ice & Water Barrier

- Helps protect the roof where water tends to collect or flow, including valleys, eaves, chimneys, and skylights.
- Helps prevent damage associated with shingle blow-off, wind-driven rain and ice damming.

Recommended Product Options:

- WeatherLock® G
- WeatherLock® Mat
- WeatherLock® Flex
- WeatherLock® Specialty Tile & Metal
- Titanium® FR
- Titanium® PSU30
- RhinoRoof® Granulated



Synthetic Underlayment

- Provides a water shedding barrier under shingles for the roof's last line of defense.
- Helps guard against damage from wind-driven rain.

Recommended Product Options:

- DeckDefense®
- ProArmor®
- Titanium® UDL25
- Titanium® UDL30
- Titanium® UDL50
- Titanium® X30
- RhinoRoof® U20



DEFEND.

Starter Shingles

- Helps provide a clean look with a straight edge along the eaves and the rakes of the roof.
- Helps ensure an effective seal with the first row of shingles to help prevent shingle blow-offs due to high winds and water infiltration.

Recommended Product Options:

- Starter Strip Plus
- Starter Shingle Roll
- WoodStart® Starter Shingles



Hip & Ridge Shingles

- Add extra protection and stylish dimension along the hips and ridges – areas that are vulnerable to high winds.
- Designed to match and complement Owens Corning® shingles.

Recommended Product Options:

- DecoRidge®
- ProEdge®
- DuraRidge®
- ImpactRidge®
- RIZERidge®



BREATHE.

Intake Ventilation

- Helps replace the warm, humid air in the attic with cool, dry air to help protect the interior components of the roofing system from heat and moisture damage which helps eliminate problems such as ice damming and premature shingle deterioration.

Recommended Product Options:

- VentSure® InFlow® Intake Vent





Exhaust Ventilation

- Optimally designed to work together with our VentSure® intake ventilation products, ridge and off-ridge exhaust ventilation helps create a balanced flow where warm, humid air is continuously replaced by cool, dry air.

Recommended Product Options:

- VentSure® 4-Foot Strip Vent
- VentSure® RidgeCat® Rolled Ridge Vent
- VentSure® Rigid Roll Vent
- VentSure® Metal Slant Back Roof Vent



Owens Corning® Shingle Collection		Shingle Construction	Shingle Construction and Description	Patented SureNail® Technology	Warranty Length*	Wind Resistance Limited Warranty*	Algae Resistance Limited Warranty ^{*/§/††}	TRU PROTECTION® Non-Prorated Limited Warranty* Period
Woodmoor® Collection			Laminated, extra thick, rustic wood shake appearance		Limited Lifetime ^{*/†}	110/130-MPH ^{*/††}	25 Years ^{3/§}	10 Years
Woodcrest® Collection			Laminated, thick, rustic wood shake appearance		Limited Lifetime ^{*/†}	110/130-MPH ^{*/††}	25 Years ^{3/§}	10 Years
TruDefinition® DURATION MAX®			Laminated, thick shingle appearance, bold contrast		Limited Lifetime ^{*/†}	130-MPH*	25 Years ^{3/§}	10 Years
TruDefinition® DURATION® COOL Plus			Laminated, dimensional appearance, energy efficient		Limited Lifetime ^{*/†}	130-MPH*	25 Years ^{3/§}	10 Years
TruDefinition® DURATION® COOL			Laminated, dimensional appearance, energy efficient		Limited Lifetime ^{*/†}	130-MPH*	25 Years ^{3/§}	10 Years
TruDefinition® DURATION FLEX®			Laminated, dimensional appearance, bold contrast, impact resistance		Limited Lifetime ^{*/†}	130-MPH*	25 Years ^{3/§}	10 Years
TruDefinition® DURATION STORM®			Laminated, dimensional appearance, bold contrast, impact resistance		Limited Lifetime ^{*/†}	130-MPH*	25 Years ^{3/§}	10 Years
DURATION® Premium			Laminated, dimensional appearance		Limited Lifetime ^{*/†}	130-MPH*	25 Years ^{3/§}	10 Years
TruDefinition® DURATION® Designer Colors Collection			Laminated, dimensional appearance, bold contrast, unique vibrant colors		Limited Lifetime ^{*/†}	130-MPH*	25 Years ^{3/§}	10 Years
TruDefinition® DURATION®			Laminated, dimensional appearance, bold contrast		Limited Lifetime ^{*/†}	130-MPH*	25 Years ^{3/§}	10 Years
TruDefinition® Oakridge®			Laminated, dimensional appearance, bold contrast		Limited Lifetime ^{*/†}	110/130-MPH ^{*/†††}	25 Years ^{3/§}	10 Years
Oakridge®			Laminated, dimensional appearance		Limited Lifetime ^{*/†}	110/130-MPH ^{*/†††}	25 Years ^{3/§}	10 Years
Supreme®			Single layer, three-tab appearance		25-Year Limited*	60-MPH	10 Years	5 Years

Size	Application Exposure	Shingles per Square	Bundles per Square	Coverage per Square	ASTM D228	ASTM D3018 (Type 1)	ASTM D3161 (Class F Wind Resistance)	ASTM D3462	ASTM D7158 (Class H Wind Resistance)	ASTM E108/UL 790 (Class A Fire Resistance)	CSA A123.5+	Florida Product Approval	ICC-ES AC438#	Miami-Dade County Product Approval ²	UL 2218 (Class 3 Impact Resistance) ⁶	FM 4473 (Class 3 Impact Resistance) ⁶	UL 2218 (Class 4 Impact Resistance) ⁸	FM 4473 (Class 4 Impact Resistance) ⁸	PRI ER 1378E01	Cool Roofing Rating Council
14¼" x 40"	4"	90	6	100 sq. ft.	✓	✓	✓	✓	✓	✓	✓		✓						✓	✓
14¼" x 40"	4"	90	6	100 sq. ft.	✓	✓	✓	✓	✓	✓	✓		✓						✓	✓
13¼" x 39⅜"	5⅝"	64	4	98.4 sq. ft.	✓	✓	✓	✓	✓	✓	✓		✓		✓	✓			✓	✓
13¼" x 39⅜"	5⅝"	64	3	98.4 sq. ft.	✓	✓	✓	✓	✓	✓	✓		✓		✓	✓			✓	✓
13¼" x 39⅜"	5⅝"	64	3	98.4 sq. ft.	✓	✓	✓	✓	✓	✓	✓		✓		✓	✓			✓	✓
13¼" x 39⅜"	5⅝"	64	3	98.4 sq. ft.	✓	✓	✓	✓	✓	✓	✓		✓				✓	✓	✓	
13¼" x 39⅜"	5⅝"	64	3	98.4 sq. ft.	✓	✓	✓	✓	✓	✓	✓		✓				✓	✓	✓	
13¼" x 39⅜"	5⅝"	64	4	98.4 sq. ft.	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓			✓	
13¼" x 39⅜"	5⅝"	64	3	98.4 sq. ft.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	
13¼" x 39⅜"	5⅝"	64	3	98.4 sq. ft.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	
13¼" x 39⅜"	5⅝"	64	3	98.4 sq. ft.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓
12" x 36"	5"	80	3	100 sq. ft.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					✓	



OWENS CORNING ROOFING AND ASPHALT, LLC
ONE OWENS CORNING PARKWAY
TOLEDO, OH 43659 USA
1-800-GET-PINK® | 1-800-438-7465
www.owenscorning.com/roofing

Pub. No. 10018857-M. Printed in U.S.A. January 2025.
THE PINK PANTHER™ & © 1964–2025 Metro-Goldwyn-Mayer Studios Inc.
All Rights Reserved. The color PINK is a registered trademark of Owens Corning.
© 2025 Owens Corning. All Rights Reserved.

(National)

- * See actual warranty for complete details, limitations and requirements.
- ‡ 40-year Limited Warranty on commercial projects.
- ** Tru-Bond® is a proprietary premium weathering-grade asphalt sealant that is blended by Owens Corning.
- ‡‡ 130 MPH is applicable only with Owens Corning® Starter Shingle product application along eaves and rakes in accordance with installation instructions. Refer to installation instructions for complete details.
- ‡‡‡ 110 MPH is standard with 4-nail application. 130 MPH is applicable only with 6-nail application and Owens Corning® Starter Shingle products application along eaves and rakes in accordance with installation instructions.
- + The amount of Triple Layer Protection® may vary on shingle-to-shingle basis.
- ++ Only on products sold in Canada.
- # International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.
- ^ Excludes non-Owens Corning® roofing products such as flashing, fasteners, pipe boots and wood decking.
- 1 See Color Disclaimer Information on page 4 for additional details.
- 3 Shingles are algae resistant to help control growth of algae and discoloration.
- § Installation must include use of an approved Owens Corning® Hip & Ridge Shingle product. See actual warranty for details.
- †† Available regionally; visit www.owenscorning.com/roofing for details.
- 4 Owens Corning® Black Sable shingle includes a patented design.
- 5 Owens Corning® Bourbon and Midnight Plum shingles include a patent pending design.
- 6 Qualifying Owens Corning Hip & Ridge Shingles may be required to complete a UL 2218 and/or FM 4473 Class 3 Impact-Resistant Roof System. Due to the variability in real storm conditions, a Class Rating on any product does not guarantee that it will withstand damage from hailstorms or other acts of God. Owens Corning shingles are not covered under a warranty for hail damage.
- 7 Homeowners should check with their insurance company to see if they qualify.
- 8 ImpactRidge® Hip & Ridge Shingles are required to complete UL 2218 and/or FM 4473 Class 4 Impact-Resistant Roof System. Due to the variability in real storm conditions, a Class Rating on any product does not guarantee that it will withstand damage from hailstorms or other acts of God. Owens Corning shingles are not covered under a warranty for hail damage.
SureNail® Technology is not a guarantee of performance in all weather conditions.
For patent information, please visit owenscorning.com/patents.