

CANADIAN SAFE USE INSTRUCTION SHEET

Creation Date 24-Oct-2018 Revision Date 14-Nov-2018 Version 1

0. General Information

This Safe Use Instruction Sheet is the document provided by Owens Corning to communicate recommended safe handling and use instructions for manufactured articles not regulated by the Canada Hazardous Products Regulation SOR/2015-17 (WHMIS 2015)

1. IDENTIFICATION

Product Name PITTWRAP HS Jacketing

Synonyms Bitumen Resin Membrane

Product Code OCPC00041

Recommended UseBitumen Resin Membrane

Manufacturer Address Pittsburgh Corning, LLC, a subsidiary of Owens Corning

One Owens Corning Parkway

Toledo, Ohio 43659

Company Phone Number

E-mail address Company Website 1-800-327-6126 or 1-724-327-6100 productcompliance@owenscorning.com

http://Foamglas.com/

2. HAZARDS IDENTIFICATION

Regulatory Status

This product is considered an article per the Canadian Hazardous Products Regulation

SOR/2015-17

Manufactured articles which meet the definition of the Canadian Hazardous Products Act (any article that is formed to a specific shape or design during manufacture, the intended use of which when in that form is dependent in whole or in part on its shape or design, and that, when being installed, if the intended use of the article requires it to be installed, and under normal conditions of use, will not release or otherwise cause an individual to be exposed to a hazardous product) are not regulated by the Canadian Hazardous Products Regulation SOR/2015-17

3. COMPOSITION/INFORMATION ON INGREDIENTS

The product contains no substances which at their given concentration, are considered to be hazardous to health

4. FIRST AID MEASURES

Description of First Aid Measures

Eye contact
 Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a physician

Skin contact • Wash skin with soap and water

Revision Date 14-Nov-2018

Inhalation • Remove to fresh air

Ingestion • Clean mouth with water and drink afterwards plenty of water

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media • Foam

Carbon dioxide (CO2)

Dry chemical

Protective equipment and precautions for firefighters

• As in any fire, wear self-contained breathing apparatus (positive-pressure), MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions • Ensure adequate ventilation, especially in confined areas

Avoid contact with eyes and skin

· Use personal protective equipment as required

· Wash thoroughly after handling

Methods for cleaning up • Use only non-sparking tools

· Scrape up material and place in container with closed lid

7. HANDLING AND STORAGE

Precautions for safe handling

· Avoid contact with skin, eyes or clothing

Storage Conditions

· Product should be kept dry and undercover

• Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

Incompatible materials

· Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	Alberta	Ontario TWA	Quebec
Petroleum Asphalt	TWA: 0.5 mg/m ³	TWA: 5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 5 mg/m ³
(non-paving use)	benzene-soluble aerosol	_	_	
8052-42-4	fume, inhalable particulate			
	matter			

Engineering Controls

Provide local exhaust and/or general ventilation to maintain exposure below regulatory and recommended limits

recommended infins

Individual protection measures, such as personal protective equipment

• Wear safety glasses with side shields (or goggles)

Skin and body protection • Wear impervious protective gloves

· Wear long-sleeved shirt and long pants

Respiratory protection

• If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations

Revision Date 14-Nov-2018

General Hygiene Considerations • Handle in accordance with good industrial hygiene and safety practice

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Solid

Appearance Black with Clear Top Film

Odor Asphalt-like
Color Black, silver
Water solubility Insoluble in water

Specific Gravity 1.0

10. STABILITY AND REACTIVITY

Stability • Stable

Possibility of Hazardous Reactions • None under normal processing

Hazardous Decomposition Products • Carbon monoxide

Carbon dioxide (CO2)Nitrogen oxides (NOx)

Hydrocarbons

11. TOXICOLOGICAL INFORMATION

Product Information No data available

Carcinogenicity This petroleum based product contains a variable amount of polycyclic aromatic

compounds (PACs) including polynuclear aromatic hydrocarbons (PAHs) which have been

shown to cause cancer and respiratory damage in humans and laboratory animals

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Disposal should be in accordance with applicable regional, national and local laws and regulations

14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

15. REGULATORY INFORMATION

International Inventories This product is classified as an article. Articles are exempted from registration or listing

under chemicals inventories like TSCA (USA), DSL/NDSL (CAN), REACH (EU), ENCS

(JP), IECSC (CN), KECL (KR), PICCS (PH), AICS (AUS)

16. OTHER INFORMATION

Creation Date 24-Oct-2018 Revision Date 24-Nov-2018

Revision Note Update of document format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safe Use Instruction Sheet
